

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S10	2	"20050234934"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 11:13
S12	5	S11 and(verif\$7 and permission\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:15
S15	96	S13 and schemas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:16
S19	16	S18 and (configuration with management\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:17
S18	33	S17 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:17
S14	85	S13 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:17
S20	1	(permission\$1 and (valid\$3 near3 DDL\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:19

EAST Search History

S25	58	S24 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:20
S23	0	(permission\$1 and (verif\$7 with DDL)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 12:20
S28	27	S27 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:27
S29	1	"20020169745" and (time\$1 or period\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:29
S31	2783	S30 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:30
S35	1	"20050234934" and time\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:31
S34	17	S32 and (configuration\$1 near5 management)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:31

EAST Search History

S33	125	S32 and configuration\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 14:35
S37	113	S36 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:08
S38	1	"20050234934" and location\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:09
S40	1	"20020169745" and (location\$1 or select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:12
S42	1	"6363388".pn. and (location\$1 or select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:13
S41	2	"20040024736" and (location\$1 or select\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 15:13
S44	1	"20050234934" and simultaneous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:01

EAST Search History

S43	1	"20050234934" and bundling	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:01
S32	170	S31 and schemas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:02
S45	84	S32 and simultaneous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:03
S46	1	"6363388".pn. and simultaneous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:06
S49	46	S48 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:08
S51	4	S50 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:09
S53	16	S52 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:12

EAST Search History

S55	108	S54 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:13
S58	4	S57 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/03 16:14
S63	0	"20040024736" and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:13
S62	0	"20020169745" and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:13
S61	1	"20040098383" and (standard\$1 or requirement\$1 or perdefined\$1 or meet\$1 or ver\$3 or processing or sequential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:13
S64	0	"20040098383" and pars\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:14
S68	292	S67 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:31

EAST Search History

S69	1	"20020169745" and (identification\$1 or identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:53
S59	1	"20020169745" and (standard\$1 or perdefined\$1 or meet\$1 or ver\$3 or processing or sequential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:53
S60	2	"20040024736" and (standard\$1 or requirement\$1 or perdefined\$1 or meet\$1 or ver\$3 or processing or sequential)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:54
S71	0	S70 and Permission\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:55
S70	3	"20040024736" and (identification\$1 or identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:55
S73	325	S72 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 10:59
S77	2	"20040088316"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:41

EAST Search History

S78	1	"20020169745" and log\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:52
S80	3	"20040024736"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:53
S79	0	"20040024736" and tag	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:53
S82	74	S81 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:54
S81	868	(previous near3 tag\$1) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/04 12:54
S83	4	"824042".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:50
S84	2	"20050234934" and (check\$3 or release or time or automatic\$4 or generat\$3 or identi\$8 or identification or files or (permission near2 information) or (pars\$3 near3 DLL) or (schema near3 file) or (command\$1 near5 modifi\$6) or match\$3 or verif\$7 or (original near5 structure\$1) or renam\$3 or backup or (releas\$3 near5 permission\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 13:59

EAST Search History

S85	2	"20050234934" and (check\$3 or release or time or (release near2 time) or automatic\$4 or generat\$3 or identi\$8 or identification or files or (permission near2 information) or (pars\$3 with automatic\$4) or (pars\$3 near3 DLL) or (schema near3 file) or (command\$1 near5 modifi\$6) or match\$3 or verif\$7 or (original near5 structure\$1) or renam\$3 or backup or (releas\$3 near5 permission\$1) or (verif\$7 with error\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/21 14:02
S87	233	S86 and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 10:04
S86	233	(permission\$1 and (verify near5 validity)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 10:04
S89	1	"20050234934" and (medium or media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 11:13
S88	2	"20050234934"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/02/23 11:13
S90	4	"824042".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 12:07

EAST Search History

S91	1	"20050234934" and ((Program near5 product) or (computer\$9 near5 medium))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 12:12
S93	0	"20050234934" and ((verify or verification\$1) with reliable with storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 12:13
S92	1	"20050234934" and (verify or reliable or retrieval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 12:13
S94	0	"20050234934" and ((verify or verification\$1) same reliable same storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 12:14
S96	0	"20050234934" and ((release with note\$1) with (verify or verification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 12:15
S95	2	"20050234934" and (release with note\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 12:15
S97	2	"20050234934" and ((release with note\$1) same (verify or verification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 12:16

EAST Search History

S98	1	"20050234934" and (reliable with storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 13:06
S99	1	"20050234934" and (recordable with media)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/05 13:07
S10 3	4	"447864".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 09:42
S10 2	0	"447864.ap"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 09:42
S10 1	0	"447864.ap."	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 09:42
S10 0	14	"447864"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/06 09:42
S10 4	4	"824042".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:34

EAST Search History

S9	2	"20020169745"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:34
S10 6	27	S105 and (deploy\$3 or module\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:35
S10 5	42	707/100.ccls. and (id\$1 or identificaion\$1 or identif\$5) near5 (permission\$1 or (access near3 right\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/18 15:35
S10 8	1	"20050234934" and (recordable or medium or media or signal\$1 or carrier or wave\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/25 10:28
S10 7	2	"20050234934"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/25 10:28
S11 0	4	((database adj schemas) with databases) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:15
S10 9	22	((database adj schemas) with databases) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:15

EAST Search History

S11 5	1	((database adj schemas) with configuration\$1) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:16
S11 4	2	((database adj schemas) with (configuration\$1)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:16
S11 3	1	((database adj schemas) with (configuration\$1)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:16
S11 2	0	((database adj schemas) with (database adj configuration\$1)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:16
S11 1	0	((database adj schemas) with (database adj configuration\$1)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:16
S6	0	((database adj schemas) with (database adj configuration\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:16
S12 0	2	((database adj schemas) same(configuration\$1)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:17

EAST Search History

S11 9	9	((database adj schemas) same(configuration\$1)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:17
S11 8	0	((database adj schemas) with (database near3 servers)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:17
S11 7	4	((database adj schemas) with (database near3 servers)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:17
S11 6	2	((database adj schemas) with configuration\$1) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:17
S4	0	((database adj schemas) with (database near3 servers)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:17
S12 5	22	((database adj schemas) with databases) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:18
S12 4	41	(verif\$7 and permission\$1 and DLL) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:18

EAST Search History

S12 3	538	(verif\$7 and permission\$1 and DLL) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:18
S12 2	0	((database adj schemas) with (database adj servers)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:18
S12 1	0	((database adj schemas) with (database adj servers)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:18
S5	0	((database adj schemas) with (database adj servers)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:18
S13 0	1	(permission\$1 and (DDL)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:19
S12 9	69	(permission\$1 and (DDL)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:19
S12 8	0	(permission\$1 and (verif\$7 near6 DDL\$1)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:19

EAST Search History

S12 7	0	(permission\$1 and (verif\$7 near6 DDL\$1)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:19
S12 6	4	((database adj schemas) with databases) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:19
S22	0	(permission\$1 and (verif\$7 near6 DDL\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:19
S13 3	44	S131 and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:20
S13 1	248	(permission\$1 and (verify near5 validity)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:20
S13 7	44	S131 and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:32
S13 6	93	S131 and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:32

EAST Search History

S13 5	53	(permission\$1 and (verify near5 validity)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:32
S13 4	141	(permission\$1 and (verify near5 validity)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:32
S27	226	S26 and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:32
S13 8	141	(permission\$1 and (verify near5 validity)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:33
S26	226	(permission\$1 and (verify near5 validity)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:33
S14 1	820	(modif\$7 near5 (prescrib\$3 or set or designated) near5 (time\$1)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:34
S14 0	715	(modif\$7 near5 (prescrib\$3 or set or designated) near5 (time\$1)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:34

EAST Search History

S13 9	8	S138 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:34
S14 5	2	(modifi\$6 with (select\$3 near (databases or servers))) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:35
S14 4	8	(modifi\$6 with (select\$3 near (databases or servers))) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:35
S14 3	19	S141 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:35
S39	6	(modifi\$6 with (select\$3 near (databases or servers))) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:35
S15 0	0	S146 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:36
S14 9	0	S147 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:36

EAST Search History

S14 8	0	S146 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:36
S14 7	968	((bundl\$3) near6 simultaneous\$2) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:36
S14 6	551	((bundl\$3) near6 simultaneous\$2) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:36
S50	1877	((bundl\$3) near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:36
S15 3	42	((into or in) near3 module) near6 simultaneous\$2) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:37
S15 2	42	((into or in) near3 module) near6 simultaneous\$2) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:37
S15 1	0	((into near3 module) near6 simultaneous\$2) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:37

EAST Search History

S56	0	((into near3 module) near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:37
S15 5	42	((into or in) near3 module) near6 simultaneous\$2) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:38
S15 4	42	((into or in) near3 module) near6 simultaneous\$2) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:38
S15 9	124	S158 and "707"/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:39
S15 8	1163	(id\$1 or identificaiton\$1) near5 (permission\$1 or (access near3 right\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:39
S15 7	0	(pars\$3 near5 (schema\$1) with sequential) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:39
S15 6	0	(pars\$3 near5 (schema\$1) with sequential) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:39

EAST Search History

S65	0	(pars\$3 near5 (schema\$1) near5 sequential) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:39
S16 2	124	S158 and "707"/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:40
S16 1	1	(pars\$3 near5 (schema\$1) near5 processing) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:40
S16 0	8	(pars\$3 near5 (schema\$1) near5 processing) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:40
S75	125	S74 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:40
S66	9	(pars\$3 near5 (schema\$1) near5 processing) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:40
S16 3	30	S162 and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:41

EAST Search History

S13 2	93	S131 and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 10:41
S16 4	41	S162 and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:01
S16 5	4	"824042".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:02
S16 6	1	"20050234934" and ((computer near3 product) or (computer?readable or medium or media or wave\$1 or signal\$1 or (computer near3 readable)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:03
S17 1	18	((id\$1 or identifcaiton\$1) near3 server\$1) near5 (permission\$1 or (access near3 right\$1)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:32
S17 0	41	S168 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:32
S16 8	1983	(verify\$3 near6 specif\$7) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:32

EAST Search History

S16 7	3653	(verify\$3 near6 specif\$7) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:32
S14 2	47	S140 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:32
S17 2	41	((id\$1 or identificaiton\$1) near3 server\$1) near5 (permission\$1 or (access near3 right\$1)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:33
S74	1097	(id\$1 or identificaiton\$1) near5 (permission\$1 or (access near3 right\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:33
S17 6	49	S174 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:34
S17 5	46	S173 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:34
S17 4	725	(id\$1 or identificaiton\$1) near5 (permission\$1 or (access near3 right\$1)) and @prad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:34

EAST Search History

S17 3	421	(id\$1 or identifaciton\$1) near5 (permission\$1 or (access near3 right\$1)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:34
S16 9	131	S167 and 707/1-104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/01 11:34
S17 7	2	"20040139194"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 09:47
S17 8	2	"6598174".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 09:50
S17 9	0	"98309811.2"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/02 09:51
S18 4	5	S183 and(verif\$7 and permission\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:50
S18 3	45	((database adj schemas) with databases) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:50

EAST Search History

S18 2	5898	s12and 707/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:50
S18 1	15	S180 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:50
S18 0	702	(verif\$7 and permission\$1 and DLL) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:50
S18 5	0	S184 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:51
S18 6	310	(permission\$1 and (verif\$7 near5 (validity or relevance))) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:52
S18 7	5	S186 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:53
S18 9	6	S188 and 707/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:54

EAST Search History

S18 8	774	(modif\$7 near5 (presci\$6 or set or designat\$3) near5 (time\$1)) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 10:54
S19 0	38	(pars\$3 near5 (schema\$4) near5 process\$3) and @rlad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/26 11:00
S19 1	6	"389491".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/02 09:38
L2	2	"20050234934"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 10:45
L1	4	"824042".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 10:45
L3	1	"20050234934" and (medium or media or (computer?readable) or recordable or wireless or signal\$1 or wave\$1 or communication\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 10:51
S2	40	((database adj schemas) with databases) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:30

EAST Search History

L4	4	((database adj schemas) with databases).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:30
S8	15	((database adj schemas) same(configuration\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:31
S7	8	((database adj schemas) with (configuration\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:31
S3	8	((database adj schemas) with configuration\$1) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:31
L7	1	((database adj schemas) same(configuration\$1)).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:31
L6	1	((database adj schemas) with configuration\$1).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:31
L5	1	((database adj schemas) with (configuration\$1)).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:31

EAST Search History

S16	36	S15 and (configuration with management\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:32
S13	618	(verif\$7 and permission\$1 and DLL) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:32
S11	40	((database adj schemas) with databases) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:32
L12	0	L11 and (configuration with management\$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:32
L11	112	L10 and schemas	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:32
L10	704	(verif\$7 and permission\$1 and DLL) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:32
L9	4	((database adj schemas) with databases).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:32

EAST Search History

L8	1	(verif\$7 and permission\$1 and DDL).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:32
S24	146	(permission\$1 and (DDL)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:33
S21	10302	(permission\$1 and (verif\$7 neawr6 DDL\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:33
S17	100	(verif\$7 and permission\$1 and DDL) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:33
L15	0	(verif\$7 and permission\$1 and DDL).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:33
L14	479	(permission\$1 and (verif\$7 neawr6 DDL\$1)).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:33
L13	1	(permission\$1 and (DDL)).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:33

EAST Search History

S36	1838	(modif\$7 near5 (prescrib\$3 or set or designated) near5 (time\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:34
S30	60992	(modif\$7 near5 (time\$1 or period\$6)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:34
L17	257	(modif\$7 near5 (prescrib\$3 or set or designated) near5 (time\$1)). clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:34
L16	6230	(modif\$7 near5 (time\$1 or period\$6)).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:34
S54	6316	(module near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:35
S52	3427	((bundl\$3) with simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:35
S48	4973	((bundl\$3 or batch\$3) near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:35

EAST Search History

S47	8432	((bundl\$3 or batch\$3) with simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:35
L20	426	((bundl\$3 or batch\$3) near6 simultaneous\$2).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:35
L19	869	(module near6 simultaneous\$2). clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:35
L18	403	((bundl\$3) with simultaneous\$2). clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:35
S67	6288	(verify\$3 near6 specif\$7) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:36
S57	108	((into or in) near3 module) near6 simultaneous\$2) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:36
L23	606	(verify\$3 near6 specif\$7).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:36

EAST Search History

L22	0	((into or in) near3 module) near6 simultaneous\$2).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:36
L21	764	((bundl\$3 or batch\$3) with simultaneous\$2).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:36
S76	42	((id\$1 or identificaiton\$1) near3 server\$1) near5 (permission\$1 or (access near3 right\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:37
S72	2715	(id\$1 or identificaiton\$1 or identif\$5) near5 (permission\$1 or (access near3 right\$1)) and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:37
L25	439	(id\$1 or identificaiton\$1 or identif\$5) near5 (permission\$1 or (access near3 right\$1)).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:37
L24	7	((id\$1 or identificaiton\$1) near3 server\$1) near5 (permission\$1 or (access near3 right\$1)).clm. and @ad<"20031201"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 11:37